CONTENTS - VOLUME IX, 1989

No. 1

Dosage regimen of ranitidine in patients with renal impairment.
EBIHARA A., OHASHI K., IKEDA T., YUHARA M., TAGAWA H., YAMAKADO M., ASANO Y., TABEI K., NAKAZAWA K., KONDO K. 1

Assessment of bx a-blocking activity of low-dose bupranolol.
WEISSER B., NOA ;K E., DÜSING R., GLÄNZER K. 9

Nicardipine does not significantly affect serum digoxin concentrations at the steady state of patients with congestive heart failure.
DEBRUYNE D., COMMEAU Ph., GROLLIER G., HURET B., SCANU P., MOULIN M. 15

Ibopamine: long-term safety study in patients with congestive heart failure.
RIVA E., CAVALLI A., ABBONDATI G., CEDRINI M.C., SCHLEMAN M., FUCCELLA L.M., AND THE ITALIAN IBOPAMINE WORKING GROUP. 21

Steady-state serum pharmacokinetics and bioequivalence of 500 mg oral versus 200 mg intravenous ciprofloxacin.
GARRAFFO R., DELLAMONICA P., BERNARD E., ETESSE H., LAPALUS P. 29

Pharmacokinetics of ciprofloxacin in impaired liver function.
ESPOSITO S., MINIERO M., BARBA D., SAGNELLI E. 37

Efficacy and safety of enoxacin in the treatment of respiratory infections.
SCARPAZZA G., DELLA TORRE F., SCAGLIONE F., FRASCHINI F. 43

Pharmacokinetics of cefonicid in serum and its penetration into lung tissue, bronchial mucosa and pleura.
FURLAN G., BESA G., BROCCALI G., GUSMITTA A. 49

Serum aspirin-esterase activity in epileptic patients receiving treatment with phenobarbital, phenytoin, carbamazepine and valproic acid.
PUCHE E., GARCIA DE LA SERRANA H., MOTA C., SAUCEDO R. 55

Effect of heparin administration on flunitrazepam protein binding.
CALVO R., AGUILERA L., AGUIRRE C., RODRÍGUEZ SASIAÍN J.M. 59

Evidence of muscarinic receptor subtypes in airway smooth muscle of normal volunteers and of chronic obstructive pulmonary disease patients.
CAZZOLA M., MATERA M.G., D'AMATO G., DE SANTIS D., MAIONE S., LISA M., CENICOLA M.L., MARMO E. 65

Muscarinic M-1 receptors mediate the bronchial hyperresponsiveness during methacholine inhalation.
CAZZOLA M., MATERA M.G., D'AMATO G., DE NOVELLIS V., MARMO E. 71

Rheological profile of nesosteine: a new mucoactive agent.
BRAGA P.C., BEGHI G., CASTELLI C., GRASSELLI G., ORNAGHI A., RAMPOLDI C., ZHENG Y., ALLEGRA L. 77

A controlled multicentre therapeutic trial to determine the efficacy of a novel antacid (Al-Mg-hydroxy-carbonate) in duodenal ulcer.
NAGY L., NAGY Gy., RÁCZ I., SIMON L., SOLT I., PATTY I., TÁRNOK F., MÓZSIK Gy., JÁVOR T. 85

No. 2

Foreword. 93

Pitfalls in assessing efficacy and side-effects of antidepressants.
MONTGOMERY S.A., LAMBERT M.T. 95

Toxicity of antidepressants in overdose.
LEONARD B.E. 101

Treatment of atypical depression with moclobemide: a sequential double controlled study.
SCHWEITZER I., TILLER J., MAGUIRE K., DAVIES B. 111

Imipramine binding sites in brain and platelets: role in affective disorders.
HRDINA P.D. 119

Involvement of protein kinase in the regulation of β-adrenergic receptors by antidepressants.
ASAKURA M., TSUKAMOTO T., KUBOTA H., OSADA K., IMAFUKU J., NISHIZAKI J., SATO A., NAKANISHI J., SHIMBO K., SHIBATA M., HASEGAWA K. 123

The classification of anxiety disorders.
TILLER, J.W.G. 131

Some biological aspects of panic disorder.
EVANS L. 139

The biology of panic-genetic evidence.
BURROWS G.D., JUDD F.K., HOPPER J.L. 147

Serotonin and panic disorders: a review of clinical studies.
NORMAN T.R., BURROWS G.D., JUDD F.K., McINTYRE I.M. 151

Plasma melatonin levels in affective states.
McINTYRE I.M., JUDD F.K., MARRIOTT P.M., BURROWS G.D., NORMAN T.R. 159

No. 3

Effect of *Ginkgo biloba* extract on microscomal enzyme induction.
DUCHE J.C., BARRE J., GUINOT P., DUCHIER J., COURNOT A., TILLEMENT J.P. 165

The effects of cefonicid on the pharmacokinetics of a once-a-day theophylline formulation.
CAZZOLA M., LOBEFALO G., LUPIS F., VANACORE L., MARTUCCI P., D'AMATO G. 169

Identification of subpoulations of bronchitic patients for suitable therapy by a dynamic rheological test.
BRAGA P.C., ALLEGRA L., BOSSI R., GUFFANTI E.E., SCARPAZZA G., BISETTI A., SPADA E., FUMAGALLI G. 175

Differential effects of a new central adrenergic agonist—modafinil—and D-amphetamine on sleep and early morning behaviour in young healthy volunteers.
SALETU B., FREY R., KRUPKA M., ANDERER P., GRÜNBERGER J., BARBANOJ M.J. 183

Ritanserin versus lorazepam: a double-blind, cross-over study of reaction times in healthy volunteers.
ALTAMURA A.C., COLACURCIO F., MARINI S. 197

Double-blind placebo cross-over study of long-acting (chlordesmethyldiazepam) versus short-acting (lorazepam) benzodiazepines in generalized anxiety disorders.
BERTIN I., COLOMBO G., FURLANUT M., BENETELLO P. 203

Methotrexate serum-level determinations during low-dose therapy of rheumatoid and psoriatic arthritis.
LEEB B., DUNKY A., OGRIS E., WOHANKA A., SCHENK G., GAISMAYER K., EBERL R. 209

Etodolac versus diclofenac: double-blind cross-over study in rheumatoid arthritis.
CIOMPI M.L., PUCCETTI L., BAZZICHI L., REMORINI E., MAROTTA G. 217

Controlled trial of cephradine versus cefuroxime in vascular surgery.
BARLOW I.W., AUSOBSKY J.R., WILKINSON D., KESTER R.C. 223

Preliminary pharmacokinetic and clinical evaluation of ofloxacin in dental and oral cavity diseases.
PAPPALARDO G., BIANCHI A., SCIRE SCAPPUZZO G., MIRONE M., SALOMONE S. 229

Clinical pharmacokinetics and tissue penetration of teicoplanin.
NOVELLI A., MAZZEI T., REALI E.F., MINI E., PERITI P. 233

No. 4

Comparison of the pharmacokinetics of intravenously administered rac-baclofen and its (−)-(R)- and (+)-(S)-enantiomers in dogs.
WUIS E.W., DIRKS M.J.M., TERMOND E.F.S., VREE T.B., VAN DER KLEIJN E. 239

Pharmacokinetics and acute side-effects of nifedipine given as slow-release tablets or liquid-filled capsules.
SAANO V., RAATIKAINEN O., PARONEN P., KOMULAINEN H. 247

The influence of the atrial naturiuretic factor on venous tone in man.
LJUTIĆ D., RUMBOLDT Z. 255

Angiotensin-converting enzyme as a possible marker for lung toxicity in amiodarone-treated patients.
FORESTI V., PEPE R., PARISIO E., De FILIPPI G., SCOLARI N., FRIGERIO C. 261

Efficacy of mexiletine in chronic ventricular arrhythmias: a multicentre double-blind medium-term trial.
POGGESI L., SCARTI L., IERI A., LANZETTA T., GRAZZINI M., DEL BENE P., MASINI G., DEL CITERNA F., CARNOVALI M., MASOTTI G., NERI SERNERI G.G. 269

Double-blind study on the hypnotic and antianxiety effects of zopiclone compared with nitrazepam in the treatment of insomnia.
AGNOLI A., MANNA V., MARTUCCI N. 277

Platelet GABA-aminotransferase in epileptic patients.
ARMIJO J.A., ARTEAGA R., VALIENTE R., HERRANZ J.L. 283

Pharmacokinetics of teicoplanin during cardiopulmonary bypass surgery.
MINI E., MAZZEI T., REALI E.F., NOVELLI A., PERITI P. 287

Miokamycin penetration into oral cavity tissues and crevicular fluid.
FRASCHINI F., SCAGLIONE F., FALCHI M., MANZONI P., D'ORSI S., BADILE S., PIGNANELLI M. 293

No. 5

Studies with two investigational interventions: a simple model to assess their effects and interaction.
DE MEY C., SPARROW P. 297

Serum levels and urinary excretion of mequitazine after a single oral dose.
YLITALO P., NIEMINEN K., WILÉN-ROSENQVIST G., FOURTILLAN J.-B., GIRAULT J., YLITALO L., PUKANDER J.S., KARMA P.H. 305

Probable pseudocholinesterase induction by valproic acid, carbamazepine and phenytoin leading to increased serum aspirin-esterase activity in epileptics.
PUCHE E., GARCIA MORILLAS M., GARCIA DE LA SERRANA H., MOTA C. 309

Cortical and medullary kidney tissue levels of cefonicid in human beings.
SCAGLIONE F., FERRARA F., MAIERNA G., FALCHI M., COMERI G., FRASCHINI F. 313

Quinidine disposition in relation to antipyrine elimination and debrisoquine phenotype in alcoholic patients with and without cirrhosis.
DEBRUYNE D., GRAM L.F., GROLLIER G., CAMSONNE R., AGRON L., DAO M.T., LACOTTE J., BIGOT M.-C.,MOULIN M. 319

Influence of liver cirrhosis upon the pharmacokinetics of tenoxicam.
CREVOISIER CH., ZAUGG P.Y., HEIZMANN P., MEYER J. 327

Chronopharmacological study of bunazosin hydrochloride in healthy subjects.
KUMAGAI Y., FUJIMURA A., NAKASHIMA H., SHITOH T., SUGIMOTO K., ORIBE H., EBIHARA A. 335

New indices in the evaluation of clonidine transdermal therapy of hypertension.
DE LEONARDIS V., DE SCALZI M., BECUCCI A., LUSINI G., CINELLI P. 341

No. 6

Treatment and prevention of nonsteroidal anti-inflammatory drug induced gastrointestinal mucosal injury
AGRAWAL N.M., DAJANI E.Z. 347

Protective effects of prostaglandins against nonsteroidal anti-inflammatory drug-induced gastrointestinal mucosal injury
DAJANI E.Z., AGRAWAL N.M. 359

The anti-oedematous efficacy of oxindanac equals that of paracetamol in acute postoperative inflammatory; are weak cyclooxygenase inhibitors more effective than strong inhibitors?
SKOGLUND L.A., EIDSAUNET W., PETTERSEN N. 371

Molecular distribution of gold(I) in human blood plasma after treatment with the antiarthritic drug disodium aurothiomalate
RAYNER M.H., GROOTVELD M., SADLER P.J. 377

Pharmacokinetics of salicylic acid following administration of aspirin tablets and three different forms of soluble aspirin in normal subjects
GATTI G., BARZAGHI N., ATTARDO PARRINELLO G., VITIELLO B., PERRUCCA E. 385

Fluoxetine compared with amitriptyline in elderly depression: a controlled clinical trial
ALTAMURA A.C., DE NOVELLIS F., GUERCETTI G., INVERNIZZI G., PERCUDANI M., MONTGOMERY S.A. 391

Treatment of reversible chronic airways obstruction with doxofylline compared with slow-release theophylline: a double-blind, randomized, multicentre trial
MELILLO G., BALZANO G., JODICE F., DE FELICE A., CAMPISI V., CAPONE M., DI FILIPPO A., FODDAI G., FRANZONE J.S., GROSSI E., LAMBERTI A., MASSEI V., SANGUINETTI C.M., SECCIA A. 397

Contents index (1989) 407

Author index (1989) 413